


# FLOOR CONSOLE AIR CONDITIONING



Panasonic Floor Console Systems with nanoe™X air purifying technology, outstanding efficiency, super quiet, stylish and discreet design. A perfect companion, not just for the winter season, but for all year round comfort.



Wireless Remote Controller



WLAN Adaptor CZ-TAC61 (Optional)



### HEATING

Upward and downward air flow warms the whole room uniformly.



### COOLING

Upward air flow efficiently cools the entire room.



### AIR PURIFICATION

Purify your air with, or without, heating or cooling operation.

CS-Z25UFWRA | CS-Z35UFWRA | CS-Z50UFWRA

## SPECIFICATIONS

MODEL		CS-Z25UFWRA	CS-Z35UFWRA	CS-Z50UFWRA	
[240V / 1 Phase / 50Hz]		[CU-Z25UBRA]	[CU-Z35UBRA]	[CU-Z50UBRA]	
Cooling / Heating Capacity	(min-max) kW	2.50 [0.85-3.40] 3.40 [0.85-5.00]	3.50 [0.85-3.80] 4.30 [0.85-6.00]	5.00 [0.90-5.70] 5.60 [0.90-8.10]	
Air Flow	Indoor L/s	163/173	170/182	198/227	
Dehumid	L/h	1.5	2.0	2.8	
Electrical Data	Running Current A	2.30/3.25	3.70/4.60	6.00/6.40	
	Power Input (min-max) kW	0.50 [0.24-0.90] 0.74 [0.24-1.35]	0.86 [0.24-1.02] 1.06 [0.24-1.75]	1.37 [0.26-1.81] 1.47 [0.26-2.60]	
EER COP	W/W	5.00	4.07	3.65	
	W/W	4.59	4.06	3.81	
Star Rating Residential / Commercial	Hot Climate TCSPF HSPF	4.0/4.5 2.5/2.0	3.5/4.5 2.5/2.5	4.0/4.5 2.5/2.5	
	Average Climate TCSPF HSPF	3.5/4.5 2.5/2.0	3.5/5.0 2.5/2.5	3.5/5.5 2.5/2.0	
	Cold Climate TCSPF HSPF	3.0/5.0 2.0/2.0	3.5/5.5 2.0/2.0	3.5/6.5 2.0/2.0	
Noise Level	Sound Pressure Level*2 dB(A)	Indoor (H / L / Q-Lo)	38/25/20 38/25/19	39/26/20 39/25/19	44/31/27 46/33/29
		Outdoor (H / Q-Lo)	46/- 47/-	48/- 50/-	48/43 49/44
	Sound Power Level dB	Indoor (H / L / Q-Lo)	54/41/36 54/41/35	55/42/36 55/41/35	60/47/43 62/49/45
		Outdoor (H / Q-Lo)	61/- 62/-	63/- 65/-	63/58 64/59
Net Weight	Indoor (Outdoor) kg	13(33)	13(35)	13(42)	
Dimensions	Indoor [H x W x D] mm	600 x 750 x 207	600 x 750 x 207	600 x 750 x 207	
	Outdoor [H x W x D] mm	542 x 780 x 289	619 x 824 x 299	695 x 875 x 320	
Refrigerator Pipe Diameter	Liquid Side mm/(inch)	ø 6.35 [1/4]	ø 6.35 [1/4]	ø 6.35 [1/4]	
	Gas Side mm/(inch)	ø 9.52 [3/8]	ø 9.52 [3/8]	ø 12.70 [1/2]	
Pipe Extension Length	Min - Max (m)	3-20	3-20	3-30	
Maximum Elevation Length	m	15	15	20	
Pipe Length For Additional Gas	m	7.5	7.5	7.5	
Additional Gas Amount	g/m	10	10	15	
Power Supply		Outdoor	Outdoor	Outdoor	
Operating Range (Outdoor)	Cooling Degree °C	-10 ~ +46	-10 ~ +46	-10 ~ +46	
	Heating Degree °C	-15 ~ +24	-15 ~ +24	-15 ~ +24	
Refrigerant Type		R32	R32	R32	

\*1 Indoor temperature display and some special function are not available through the App for all models.  
\*2 Sound pressure level specification is measured according to JIS C9612.

Cooling | Heating | Outdoor Unit | EER : Cooling Efficiency | COP : Heating Efficiency

### OUTDOOR UNITS



CU-Z25UBRA | CU-Z35UBRA | CU-Z50UBRA

### ALL CAPACITY AND ENERGY EFFICIENCY RATINGS ARE BASED ON AS/NZS3823.1.1

COOLING	INDOOR TEMPERATURE	27°C DB/19°C WB	HEATING	INDOOR TEMPERATURE	20°C DB
	OUTDOOR TEMPERATURE	35°C DB		OUTDOOR TEMPERATURE	7°C DB/6°C WB

Running current is at rated conditions (AS3823) and does not include compressor start-up or variations in power supply and load conditions.

### SPECIFICATIONS & FEATURES

Products in this brochure contain R32 refrigerant. Please refer to Panasonic's installation instructions and service manuals before installation and servicing this product. Only persons and/or companies qualified and experienced in the installation, service and repair of refrigerant products should be permitted to do so. The purchaser must ensure that the person and/or company who is to install, service or repair this air conditioner has qualifications and experience in refrigerant products. Suitable access for warranty and service is required. Future improvement, specifications, designs of product and availability are subject to change without notice. Please check with your dealer.

Do not add or replace refrigerant other than the specified type. Manufacturer is not responsible for the damage and deterioration in safety due to usage of other refrigerant.

The content of this flyer is effective as of August 2020. Due to printing considerations, the actual colours may vary slightly from those shown. All graphics are provided merely for the purpose of illustrating a point. Z0PAC0801FC.

Panasonic Australia Pty Ltd  
1 Innovation Road, Macquarie Park, NSW 2113  
ACN: 001 592 187 ABN: 83 001 592 187

aircon.panasonic.com.au



# Panasonic

# FLOOR CONSOLE AIR CONDITIONING


Heating | Cooling | Air Purification



### BETTER AIR QUALITY



### INNOVATIVE CONTROL



### COMPACT DESIGN



## QUALITY AIR FOR LIFE